













GARED PLAYRX™ PRODUCT GUIDE

PLAYRX™ PORTABLE BASKETBALL BACKSTOP PRODUCT GUIDE

PRODUCT NAME	GARED PRO S	GARED PRO H	HOOPMASTER 8/5	HOOPMASTER LT		HOOPMASTER C72	HOOPMASTER R54	SUPER-Z60	SUPER-Z54	MICRO-Z	MINI-EZ
MODEL #	9618/9616	5018/5016	9408/9405	9305		9172	9154	9060	9054	MICRO-Z54/MICROZ	MINIEZ
OPERATING SYSTEM	Spring Loaded	Electric Hydraulic	Spring Loaded	Spring Loaded		Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded
PLAY QUALIFICATIONS	NBA, NCAA, FIBA, NFHS, NAIA	NBA, NCAA, FIBA, NFHS, NAIA	NBA, NCAA, FIBA, NFHS, NAIA	NFHS		NFHS	K-12	K-12	K-12	K-12	K-12
SAFEPLAY AREA											
BOOM LENGTH	BOOM LENGTH					BOOM LENGTH					
10' - 0"	10' 8"/8' 0"	10' 8"/8' 0"	8' 0"/5' 0"	5' 6"		5'-0"	5'-0"	6'-0"	6'-0"	4'-2"	4'-2"
9' - 0"	7' 4"/4' 8"		4' 2-1/2"/1' 2-1/4"	2'-1 1/4"		1'-8"	1'-8"	3'-1"	3'-1"	3'-10"	3'-10"
8' - 0"	6' 3"/3' 5"		2'-11" (9408 Only)	10 3/4"		0'-5"	0'-5"	2'-1"	2'-1"	3'-5"	3'-5"
COLOR	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)		White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat
PLAY WEIGHT (LBS)	3000 Lbs	3100 Lbs	2200 Lbs	1700 Lbs		1555	1525	1008	1000	395/385	290
BALLAST (MIN LBS)	Factory Supplied 1200	Factory Supplied 1000	Factory Supplied 1000	Factory Supplied 950		Factory Supplied 600	Factory Supplied 600	Customer Supplied 500 (Brick)	Customer Supplied 500 (Brick)	Customer Supplied 300 (Brick)	Customer Supplied 300 (Brick)
BASE DIMENSIONS (LENGTH X WIDTH)	6' 4-3/4" x 4' 0"	6' 2-1/2" x 3' 9"	6' 4-3/4" x 4 1/4"	6' 7" x 4' 1-3/8"		66' 1/2" X 40' 3/8"	66' 1/2" X 40' 3/8"	52' 3/4" X 31'	52' 3/4" X 31'	49' 3/4" X 32' 1/2"	49' 3/4" X 32' 1/2"
STORAGE DIMENSIONS (LENGTH X HEIGHT)	17'-8-7/8" (9618/9618W) 15'-7/8" (9616/9616W)	13' 4" (5018/5018W) 12' 4-1/4" (5016/5016W)	14'-3-5/8" (9408) 12'-0" (9405)	11' 6" x 6' 4"		10' 1" X 6' 6"	10' 1" X 6' 6"	9' 10" X 4' 5"	9' 10" X 4' 5"	7' 4" X 4' 6"	7' 4" X 4' 6"
MINIMUM PLAY HEIGHT	8'-0"	8'-0"	8'-0"	8'-0"		7' 6"	7' 6"	6' 6"	6' 6"	6' 6"	6' 6"
MINIMUM DISTANCE BEHIND END LINE											
10' PLAY POSITION (DIM C)	12'-11 1/2"/10' 3-1/2"	12'-10 1/2" (5018) 10'-2 1/2" (5016)	10' 4-3/4" (9408) 7' 4-3/4" (9405)	8' 1"		6'-7"	6'-7"	6'-5"	6'-5"		
STORAGE POSITION (DIM D)	17' 6" (9618) 14' 10" (9616)	19' 1" (5018) 16' 5" (5016)	15' 3" (9408) 12' 3" (9405)	11' 9"		10' 3"	10 3"	8' 10"	8' 10"		
BACKBOARD	Glass 42" X 72"	Glass 42" X 72"	Glass 42" X 72"	Glass 42" X 72"		Glass 42" X 72"	Glass 42" X 54"	Acrylic 36" X 60"	Acrylic 32" X 54"	Acrylic 32" X 54" (MZ54) Acrylic 32" X 48" (MZ)	Acrylic 32" X 48"
BACKBOARD MODEL	LXP4200	LXP4200	LXP4200	BB72G50		BB72G50	3050	GP6036	GP5432	GP5432	GP48321SQ
GOAL/RIM	Breakaway	Breakaway	Breakaway	Breakaway		Breakaway	Breakaway	Breakaway	Breakaway	Breakaway (MZ54) Fixed (MZ)	Fixed
GOAL/RIM MODEL	3500/3500I	3500/3500I	2500/2500I	2000+		2000+	2000+	1000	1000	724 (MZ54) 26WO (MZ)	26WO
ANCHOR SYSTEM	In-Ground Anchors With Locator Pins	In-Ground Anchors With Locator Pins	Floor Pad System	Optional		Optional	Optional	N/A	N/A	N/A	N/A
FLOOR LOAD											
TRAVEL FRONT CASTER	160	176	176	119		80	77	286	286	71	58
TRAVEL REAR CASTER	163	225	265	239		169	168	167	167	82	68
PLAY FRONT LEVELING PAD	89	105	62	57		76	71	76	76	20	17
PLAY REAR CASTER	72	65	62	98		105	109	117	117	26	21
WARRANTIES & ACCESSORIES											
BACKSTOP	10 Year Limited	10 Year Limited	10 Year Limited	10 Year Limited		10 Year Limited	10 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited
BACKBOARD	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited		Lifetime Limited	Lifetime Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited
PRO-MOLD(R) PAD	5 Year Limited	5 Year Limited	5 Year Limited	5 Year Limited		5 Year Limited	N/A	N/A	N/A	N/A	N/A
GOAL/RIM	4 Year Limited	4 Year Limited	4 Year Limited	4 Year Limited		4 Year Limited	4 Year Limited	2 Year Limited	2 Year Limited	1 Year Limited	1 Year Limited
WHEEL LIFT OPTION	Yes	No	No	No		No	No	No	No	No	No
QUICK CONNECT OPTION	Yes	Yes	Yes	No		No	No	No	No	No	No
ACCESSORIES	Shot Clocks, Led Lights, Graphics, Camera Mounts	Shot Clocks, Led Lights, Graphics, Camera Mounts	Shot Clocks, Led Lights, Graphics, Camera Mounts	Led Lights, Graphics		Led Lights, Graphics	Graphics	N/A	N/A	N/A	N/A
PRICE	\$\$\$\$	\$\$\$\$\$	\$\$\$	\$\$		\$\$	\$\$	\$	\$	\$	\$
IDEAL PLAY ENVIRONMENT	Professional Arena Division I & II Collegiate Facility	Professional Arena Division I & II Collegiate Facility	Division II & III Facility High School Facility Practice Facility Recreation Center	Division II & III Facility High School Facility Practice Facility Recreation Center		Division II & III Facility High School Facility Practice Facility Recreation Center	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court	K-12 Facility Recreation Center Outdoor Court







PLAYRX™ SINGLE POST CEILING STRUCTURES PRODUCT GUIDE

MODEL NUMBER	MODELS 3103/3102/3102HD	MODELS 3105/3104/3104HD	MODELS 3107/3106/3106HD	MODELS 3109/3108/3108HD	MODEL S 3111/3110/3110HD
STRUCTURE					
DESIGN APPLICATION	Best for facilities with adequate space behind the backboard to brace the structure and no obstructions or clearance issues in front of the structure. This design offers maximum clearance above the court.	Great choice for those facilities with clearance issues over the court that will not allow front fold design, yet offers adequate space behind the backstop to allow rear folding for storage.	Best used in facilities designed without adequate space behind the backstop structure for rear bracing, and with no clearance issues over the court for front bracing to fold forward and up for storage.	This model is the perfect solution for the fieldhouse or gymnasium with large amounts of equipment, and limited space behind the backboard and/or other conditions that don't allow front fold, but still require folding the backstop up to a stored position.	Non-folding design with ceiling brace for those projects not requiring backstops to be moved and will not allow bracing to the wall.
BRACE DIR	REAR BRACED	REAR BRACED	FRONT BRACED	SIDE BRACED	FRONT CEILING BRACED
FOLD DIR	FORWARD FOLD	REAR FOLD	FORWARD FOLD	SIDE FOLD	STATIONARY
MAST TYPE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
MAXIMUM & MINIMUM HEIGHT RESTRICTIONS BY MODEL					
31' MAX, 18' MIN	3103	3105	3107	3109	3111
32' MIN	3102/3102HD	3104/3104HD	3106/3106HD	3108/3108HD	3110/3110HD
MAST CONSTRUCTION BY MODEL					
WELDED	3103	3105	3107	3109	3111
CLAMPED	3102, 3102HD	3104/3104HD	3106/3106HD	3108/3108HD	3110/3110HD

MODEL NUMBER	MODELS 3205/3204/3204HD	MODEL 3305	MODEL 3207, 3206, 3206HD	MODEL 3209/3208/3208HD	MODELS 3115/3114/3114HD
STRUCTURE					
DESIGN APPLICATION	A bent single post rear braced rear folding design reducing the space required behind the backstop for the brace	Roll-Fold a compact design that utilizes a track system to move the backstop forward as it is raised up and back, great for those facilities lacking space for a standard backfold and clearance issues for a standard front fold backstop.	A bent single post front braced forward fold design reducing the space required in front of the backboard for the brace.	A bent single post side braced side folding design reducing the space required to the side of the backstop for the brace	Non-folding backstop design with rear wall brace for those projects not requiring backstops to be moved. Maximum distance from wall to face of backboard is 14'
BRACE DIR	REAR BRACED		BENT FRONT BRACED	BENT SIDE BRACED	REAR CEILING BRACED
FOLD DIR	REAR FOLD	ROLL FOLD	FORWARD FOLD	SIDE FOLD	STATIONARY
MAST TYPE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
MAXIMUM & MINIMUM HEIGHT RESTRICTIONS BY MODEL					
31' MAX, 18' MIN	3205	3305	3207	3209	3115
32' MIN	3204, 3204HD		3206/3206HD	3208/3208HD	3114/3114HD
MAST CONSTRUCTION BY MODEL					
WELDED	3205	3305	3207	3209	3115
CLAMPED	3204, 3204HD		3206/3206HD	3208/3208HD	3114/3114HD











VISIT WWW.GAREDSPORTS.COM FOR COMPLETE PRODUCT SPECIFICATIONS

PLAYRX™ GYMNASIUM DIVIDER CURTAIN PRODUCT GUIDE

MODEL NUMBER	MODEL 4050	MODEL 4040 XL	MODEL 4020	MODEL 4030	MODEL 4025	MODEL 4013
STRUCTURE						
DESIGN APPLICATION	Great for all facilities and especially for those with limited clearance height over volleyball courts	Great for all facilities and especially for those with limited clearance height.	Great for all facilities, especially for those not concerned with clearance height issues.	Great for all facilities, especially for those with limited clearance height.	Great for Facilities with pitched or sloped roof structure	Great for facilities with wall space for stacking curtain when opened
RECOMMENDED HEIGHT:	20' to 40'	15' to 36'	15' to 60'	15' to 30'	3:12 pitch or under	10' to 30'
RECOMMENDED WIDTH:	20' to 120'	20' to 130'	20' to 130'	20' to 120'	40' to 120'	10' to 80'
PLEASE NOTE: MAXIMUM CURTAIN WIDTH AND HEIGHT IS DETERMINED BY THE WEIGHT OF THE STRUCTURE. ALL CURTAIN DESIRED DIMENSIONS SHOULD BE SENT TO GARED FOR APPROVAL PRIOR TO SPECIFICATION CONSTRUCTION.						
STORAGE DIMENSION:	14"	13.5"	48" (Varies)	36"	48" (Varies)	10% of (Curtain Width + 10%)
AVERAGE RUN SPEED:	36 ft per min	18.4 ft per min	6.9 ft per min	8.3 ft per min	18.1 ft per min	N/A
STORAGE TYPE	Roll Up	Roll Up	Curtain Stack	Roll Up	Curtain Stack	Wall Stack
DESIGN FEATURE	No Cables, Belts, Or Rollers, Speed	No Cables Or Belts	Cable Pull	Belt Pull	Stacks Level With Roof	
COST	\$\$\$\$	\$\$\$	\$\$	\$\$	\$\$\$\$	\$

STANDARD CURTAIN VINYL COLORS

19 OZ. VINYL COLORS									
									
MARINE	ROYAL	YELLOW	KELLY	ORANGE	NAVY	FOREST	PURPLE	RED	BURGUNDY
									
WHITE	BEIGE	BLACK	GREY						

22 OZ VINYL COLORS			9OZ. MESH COLORS						
									
ROYAL	RED	GREY	WHITE	YELLOW	GREEN	RED	BLUE	BLACK	GREY

FAX ORDERS (314) 421-6014 • CONTACT GARED TODAY AT (314) 421-0044

PLAYRX™ BASKETBALL BACKBOARD PRODUCT GUIDE

MODELS	3010RG	3011RG	AFRG42	AFRG42E	AFRG48	LXP4200	LX4200E	RG	ARG
MATERIAL	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	GLASS
FRAME	ALUM	ALUM	ALUM	ALUM	ALUM	STEEL	STEEL	STEEL	STEEL
PLAY LEVEL	PRO, DIV I	PRO, DIV I	PRO, DIV I	INTL	PRO, DIV I	INTL	PRO, DIV I - III, HS	DIV I - III, HS	K-8, HS, REC
SPECS	42" X 72"	42" X 72"	42" X 72"	42" X 72"	48" X 72"	42" X 72"	42" X 72"	48" X 72"	42" X 72"
SHAPE	REC	REC	REC	REC	REC	REC	REC	REC	REC
IDEAL PLAY ENVIRONMENT	PRO ARENA	PRO ARENA	NCAA , HS ARENA	HS ARENA	HS ARENA	NCAA, HS ARENA	HS ARENA	HS ARENA	SIDE COURT
REBOUND EFFECT	PREMIUM	PREMIUM	PREMIUM	SUPERIOR	SUPERIOR	PREMIUM	SUPERIOR	SUPERIOR	SUPERIOR
WARRANTY	LIFETIME	LIFETIME	LIMITED LIFETIME	5 YEAR	LIMITED LIFETIME	LIMITED LIFETIME	10 YEAR	LIMITED LIFETIME	LIMITED LIFETIME

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

CAMPS		X	X	X	X	X	X	X	X
CHURCH		X	X	X	X	X	X	X	X
COASTAL									
COUNTRY CLUB		X	X	X	X	X	X	X	X
CORRECTIONS									
DAYCARE									
HOSPITALITY		X	X	X	X	X	X	X	X
MILITARY		X	X	X	X	X	X	X	X
PAY-TO-PLAY		X	X	X	X	X	X	X	X
PLAYGROUND									
REC CENTERS		X	X	X	X	X	X	X	X
RESIDENTIAL									
URBAN									
WINDY									

COLLEGIATE PLAY COMPATIBILITY

ELEMENTARY (K-5)				X			X		X
JR. HIGH (6-8)			X	X		X	X		X
HIGH SCHOOL (9-12)	X	X	X	X	X	X	X	X	X
COLLEGE	X	X	X	X	X	X	X	X	X
PRO ARENAS	X	X	X	X	X	X	X	X	X

MOUNTING COMPATIBILITY

WALL MOUNT			X	X	X	X	X	X	
GNA35									
GNA45									
GNA35R									
GNA45R									
GN35									
GN45									
GN60									
AAB35									
AAB45									
AAB60									
AABS65									
DP35									
AAB35R									
AAB45R									

3050/RG	FSGII	BB60G38H-H	BB72G50H-H	BB60G38	BB72G50	BB48A38	BB60A38	BB72A38	BB72P50
GLASS	GLASS	GLASS	GLASS	GLASS	GLASS	ACRYLIC	ACRYLIC	ACRYLIC	POLY
STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL
K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC
42" X 54"	39" X 54"	42" X 60"	42" X 72"	42" X 60"	42" X 72"	42" X 48"	42" X 60"	42" X 72"	42" X 72"
REC	FAN	REC	REC	REC	REC	REC	REC	REC	REC
SIDE COURT	SIDE COURT	OUTDOOR, SUPERVISED	OUTDOOR, SUPERVISED	OUTDOOR, SUPERVISED	OUTDOOR, SUPERVISED	OUTDOOR	OUTDOOR	OUTDOOR	OUTDOOR
GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	MODERATE	MODERATE	GOOD	GOOD
LIMITED LIFETIME	LIMITED LIFETIME	2 YEAR	2 YEAR	2 YEAR	2 YEAR	2 YEAR	2 YEAR	2 YEAR	LIMITED LIFETIME

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
									X
						X	X	X	
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
		X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
		X	X	X	X	X	X	X	X
						X	X	X	X
		X	X	X	X	X	X	X	X

COLLEGIATE PLAY COMPATIBILITY

		X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X

MOUNTING COMPATIBILITY

X									
						X			
						X			
						X			
						X	X		
				X	X	X	X	X	X
						X			
						X	X		
				X	X	X	X	X	X
				X	X	X	X	X	X

PLAYRX™ BASKETBALL BACKBOARD PRODUCT GUIDE

MODELS	I245T	I245	I266B	I266	I260B	I260	I260PS	I260PSB	I272B
MATERIAL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL
FRAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PLAY LEVEL	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC
SPECS	35" X 54"	35" X 54"	35" X 54"	35" X 54"	42" X 60"	42" X 60"	42" X 60"	42" X 60"	42" X 72"
SHAPE	FAN	FAN	FAN	FAN	REC	REC	REC	REC	REC
IDEAL PLAY ENVIRONMENT	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY
REBOUND EFFECT	DULL	DULL	DULL	DULL	MODERATE	MODERATE	MODERATE	MODERATE	MODERATE
WARRANTY	10 YEAR	10 YEAR	5 YEAR	5 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

CAMPS	X	X	X	X	X	X	X	X	X
CHURCH	X	X	X	X	X	X	X	X	X
COASTAL									
COUNTRY CLUB	X	X							
CORRECTIONS	X	X	X	X	X	X	X	X	X
DAYCARE	X	X	X	X	X	X	X	X	X
HOSPITALITY	X	X	X	X	X	X	X	X	X
MILITARY	X	X	X	X	X	X	X	X	X
PAY-TO-PLAY	X	X	X	X	X	X	X	X	X
PLAYGROUND	X	X	X	X	X	X	X	X	X
REC CENTERS	X	X	X	X	X	X	X	X	X
RESIDENTIAL	X	X	X	X	X	X	X	X	X
URBAN	X	X	X	X	X	X	X	X	X
WINDY							X	X	

COLLEGIATE PLAY COMPATIBILITY

ELEMENTARY (K-5)	X	X	X	X	X	X	X	X	X
JR. HIGH (6-8)	X	X	X	X	X	X	X	X	X
HIGH SCHOOL (8-12)	X	X	X	X	X	X	X	X	X
COLLEGE									
PRO ARENAS									

MOUNTING COMPATIBILITY

WALL MOUNT	X	X							X
GNA35	X	X							
GNA45	X	X							
GNA35R			X	X					
GNA45R			X	X					
GN35	X	X							
GN45	X	X			X	X	X	X	
GN60	X	X			X	X	X	X	X
AAB35	X	X							
AAB45	X	X			X	X	X	X	
AAB60	X	X			X	X	X	X	X
AABS65	X	X			X	X	X	X	X
DP35	X	X							
AAB35R			X	X					
AAB45R			X	X					

I272	I272PS	I272PSB	I270B	I270	I342B	I301B	I701	I750	I750B	I442B
STEEL	STEEL	STEEL	STEEL	STEEL	FIBERGLASS	FIBERGLASS	ALUMINUM	ALUMINUM	ALUMINUM	WOOD
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC	K-8, HS, REC
42" X 72"	42" X 72"	42" X 72"	48" X 72"	48" X 72"	42" X 72"	39" X 54"	35 1/2" X 53 1/2"			42" X 72"
REC	REC	REC	REC	REC	REC	FAN	FAN	FAN	FAN	REC
INNER CITY	INNER CITY	INNER CITY	INNER CITY	INNER CITY	INDOOR/ OUTDOOR	INDOOR/ OUTDOOR	COASTAL	COASTAL	COASTAL	K-6
MODERATE	MODERATE	MODERATE	MODERATE	MODERATE	GOOD	GOOD	MODERATE	MODERATE	MODERATE	DULL
10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR IN/ 5 YEAR OUT	LIMITED LIFETIME	LIMITED LIFETIMER	LIMITED LIFETIME	2 YEAR

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X
					X	X	X	X	X	
X	X	X	X	X						
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X			X	X	X	
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X						

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X	X	X

PLAY ENVIRONMENT SOLUTION COMPATIBILITY

X					X	X				X
						X	X	X	X	
						X	X	X	X	
						X	X	X	X	
					X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	
						X	X	X	X	











PLAYRX™ BASKETBALL GOAL PRODUCT GUIDE

MODELS	4000+	SNAP A	SNAP B	3000	3000I	3500	3500I	2500	2500I	2000+	1000	8800	5500	726
SPRING TYPE	POSITIVE LOCK										FLEX	FLEX	FLEX	FLEX
FACTORY SETTING	NCAA	NBA	NBA	NCAA	FIBA	NCAA	FIBA	NCAA	FIBA	NCAA	NFHS	N/A	N/A	N/A
NET ATTACH	TUBE TIE	TIE CORD	TIE CORD	NO TIE	TUBE TIE	TUBE TIE	TUBE TIE	TUBE TIE	TUBE TIE	NO TIE	NO TIE	T-TIE	NO TIE	NO TIE
PLAY LEVEL	PRO, DIV I - III, HS	PRO, DIV I	PRO, DIV I	PRO, DIV I	INTL	PRO, DIV I	INTL	DIV I - III, HS	INTL	DIV I - III, HS, REC	K-12, REC	K-12, REC	K-12, REC	K-12, REC
SPECS	NBA, NCAA, NFHS	NBA, NCAA, NFHS	NBA, NCAA, NFHS	NBA, NCAA, NFHS	FIBA	NBA, NCAA, NFHS	FIBA	NCAA, NFHS	FIBA	NCAA, NFHS	NFHS	REC, CPSC	REC, CPSC	REC, CPSC
NO. OF RINGS	I	I	I	I	I	I	I	I	I	I	I	2	2	I
RING OD	5/8"	5/8"	5/8"	5/8"	3/4"	5/8"	5/8"	5/8"	5/8"	5/8"	5/8"	3/4", 5/8"	5/8", 5/8"	5/8"
STRENGTH	+++++	+++++	+++++	+++++	+++++	+++++	+++++	++++	++++	++++	+++	+++	++	+
HOLE PATTERN	4" x 5" 4-1/2"x5"	5" x 5"	4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 4-1/2"x5"	4" x 5" 5" x 5"	4" x 5" 5" x 5"	5" x 4" 5" x 5"	4-1/2"x5"	4-1/2"x5"
WARRANTY	5 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	4 YEAR	4 YEAR	4 YEAR	2 YEAR	2 YEAR	2 YEAR	1 YEAR

BACKBOARD COMPATIBILITY

3010RG	X		X	X	X	X	X	X	X	X	X			
3011RG	X		X	X	X	X	X	X	X	X	X			
AFRG42/E	X		X	X	X	X	X	X	X	X	X			
AFRG48		X	X	X	X	X	X	X	X	X	X			
LXP4200/E	X		X	X	X	X	X	X	X	X	X			
RG		X	X	X	X	X	X	X	X	X	X			
ARG	X		X	X	X	X	X	X	X	X	X			
3050/RG	X		X	X	X	X	X	X	X	X	X			
FSGII	X			X	X	X	X	X	X	X	X			
BB60G38HIH										X	X			
BB72G50HIH										X	X			
BB60G38										X	X			
BB72G50										X	X			
BB48A38										X	X			
BB60A38										X	X			
BB72A38										X	X			
BB72P50										X	X			
I245/I245T										X	X	X	X	X
I260/I260B										X	X	X	X	X
I260PS										X	X	X	X	X
I272										X	X	X	X	X
I272B										X	X	X	X	X
I272PS										X	X	X	X	X
I270										X	X	X	X	X
I270B										X	X	X	X	X
I301B										X	X	X	X	X
I342B										X	X	X	X	X
I442B										X	X	X	X	X
I701										X	X	X	X	X
I750/B										X	X	X	X	X
I266/I266B														

HOLE PATTERNS



PLAYRX™ BACKBOARD PADDING PRODUCT GUIDE

MODEL	PMCE	PSCE	CE	NCE	LSCE	MODEL	PMCE	PSCE	CE	NCE	LSCE
GLASS BACKBOARDS						STEEL BACKBOARDS					
3010RG	X					I245					
3011RG	X					I245T					
AFRG42	X	X	X			I266					
AFRG42E	X	X	X			I266B					
AFRG48	X	X	X			I260				X	X
LXP4200	X	X	X			I260B				X	X
LXP4200E	X	X	X			I260PS				X	X
RG	X	X	X			I272				X	X
ARG	X	X	X			I272B				X	X
3050/RG			X			I272PS				X	X
FSGII			X			I270				X	X
OUTDOOR GLASS BACKBOARDS						I270B				X	X
BB60G38HH					X	FIBERGLASS BACKBOARDS					
BB72G50HH					X	I301B					
BB60G38					X	I342B				X	
BB72G50					X	WOOD BACKBOARDS					
ACRYLIC & POLYCARBONATE BACKBOARDS						I442B				X	
BB48A38					X	I401B				X	
BB60A38					X	ALUMINUM BACKBOARDS					
BB72A38					X	I701					
BB72P50					X	I750/B					



PLAYRX™ INDOOR VOLLEYBALL SYSTEM PRODUCT GUIDE

PRODUCT NAME	SKYMASTER	GO COURT	GO COURT JR	LIBERO SYSTEMS		RALLYLINE SYSTEMS		OMNISTEEL
MODEL NUMBER	800I	8500	8535	7300	7200	6100	6000	5100
POST TYPE	Telescopic Rail	Telescopic Pin	Telescopic Pin	Telescopic Rail	Rail	Telescopic Collar	Collar	Telescopic
POST O.D.	4" Square	3" Round	3 1/2" Round	4" Round	4" Round	3 1/2" Round	3 1/2" Round	3" Round
POST MATERIAL	Aluminum/ Steel	Steel	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Steel
POST WEIGHT	N/A	N/A	41 LBS	40 LBS	31 LBS	41 LBS	38.5 LBS	55 LBS
POST COLOR	Powdercoat	Black	Anodized	Anodized	Anodized	Anodized	Anodized	Black
PLAY LEVELS	NFHS	NCAA, NFHS	NCAA, NFHS,	AVCA,NCAA, NFHS, Olympics	REC	AVCA,NCAA, NFHS, Olympics	REC	AVCA,NCAA, NFHS, Olympics
PLAY HEIGHTS								
COMPETITION	X	X	X	X		X		X
MENS	X	X	X	X	X	X	X	X
WOMENS	X	X	X	X	X	X	X	X
JUNIORS	X	X	X	X	X	X	X	X
TENNIS	X				X		X	
BADMINTON	X				X		X	
ACCESSORIES								
REFEREE STAND & PAD	X	X	X	X	X	X	X	X
UPRIGHT PAD	X	X	X	X	X	X	X	X
EQUIPMENT CART	X	X	X	X	X	X	X	X
STORAGE BRACKET	X			X	X	X	X	X
CUSTOM NET	X	X	X	X	X	X	X	X
NET WINDER	X	X	X	X	X	X	X	X
NET BAND	X	X	X	X	X	X	X	X
NET LETTERING	X	X	X	X	X	X	X	X
WARRANTY	25 Year Limited Warranty on Structure, 5 Year Limited Warranty On Winch Assembly	Limited Lifetime Warranty on Uprights and Portable Base	Limited Lifetime Warranty on Uprights and Portable Base	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	10 Year Limited Warranty on Posts and 3 Year Limited Warranty on Winch Assembly	Limited Lifetime Warranty on Uprights and 3 Year Limited Warranty on Winch Assembly
PRICE	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$	\$\$\$	\$\$\$	\$	\$

ANCHOR STYLE	STYLE B	STYLE BX	STYLE C	STYLE E
	<p>Style B anchors are used on wood floors when one layer of wood is directly on concrete.</p> <p>Style B anchors are also used on portable wood basketball floors such as arena floors that are 3" or more thick for anchoring Gared portable units.</p>	<p>Style BX anchors are used on wood floors when the floor is over a subfloor directly on concrete.</p>	<p>Style C anchors are used of concrete floors or synthetic floors.</p>	<p>Style E anchors are used on permanent style floating floors.</p> <p>Style E is not recommended for portable floating floors such as arena floors because of the permanent location of the anchor. However, if requested by the customer, the style E could be used on portable arena floors.</p>

PLAYRX™ OUTDOOR PLAYGROUND BASKETBALL SYSTEM PRODUCT GUIDE																
SYSTEM MODEL #	POST TYPE	POST SIZE	SAFE PLAY AREA	GROUND INSTALLATION	BACKBOARD	RIM	COMPONENT MOUNTING		BOARD PAD	POLE PAD	BOARD HEIGHT ADJUSTABLE?	ADJUSTMENT METHOD	BOARD/RIM DIRECT MOUNT?	SYSTEM TYPE (BUDGET/ PLAY LEVEL)	IDEAL PLAY ENVIRONMENT	
GOOSENECK SYSTEMS																
PK3505	Gooseneck (Galvanized)	3-1/2" O.D. (Unbraced)	3 FT	Inground	Fan Aluminum (Natural)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK3510	Gooseneck (Galvanized)	3-1/2" O.D. (Unbraced)	3 FT	Inground	Fan Aluminum (White)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK3515	Gooseneck (Galvanized)	3-1/2" O.D. (Unbraced)	3 FT	Inground	Fan Steel (White)	Single Rim, Fixed	Rear Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK3530	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	36 X 48 Acrylic	Single Rim, Breakaway	Front Mount		Optional	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK3535	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Aluminum (T & B)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK3540	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Steel (Target)	Single Rim, Fixed	Rear Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK3545	Gooseneck (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Steel (White)	Single Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4530	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	42 X 60 Acrylic	Single Rim, Breakaway	Front Mount		Optional	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4540	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Steel (Target)	Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4570	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Steel (Target)	Double Rim, Fixed	Rear Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4560	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	42 X 60 Steel (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4565	Gooseneck (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Aluminum (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK6005	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground	42 X 72 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
PK6015	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground	42 X 60 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
PK6025	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground		Double Rim, Breakaway	Front Mount		N/A	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
PK6040	Gooseneck (Galvanized)	5-9/16" O.D. (Braced)	6 FT	Inground	42 X 72 Acrylic	Double Rim, Breakaway	Front Mount		Optional	Optional	No	N/A	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
STRAIGHT POST SYSTEMS																
PK3511	Straight Post (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	Fan Aluminum (White)	Single Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK3531	Straight Post (Galvanized)	3-1/2" O.D. (Braced)	3 FT	Inground	36 X 48 Acrylic	Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-Bolts	Yes	Economy	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4541	Straight Post (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Aluminum (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4551	Straight Post (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	42 X 60 Steel (T & B)	Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK4531	Straight Post (Galvanized)	4-1/2" O.D. (Braced)	4 FT	Inground	Fan Steel (Target)	Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
PK6051	Straight Post (Galvanized)	5-9/16" O.D. (Braced)	5 FT	Inground	42 X 72 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
PK6091	Straight Post (Galvanized)	5-9/16" O.D. (Braced)	5 FT	Inground	42 X 72 Glass	Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-Bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
PK6010	Straight Post (Galvanized)	6-5/8" O.D. (Braced)	6 FT	Inground	42 X 72 Steel (T & B)	Titan Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-Bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons	
ADJUSTABLE SYSTEMS																
GP5A48G	Square Post (Powdercoat)	4" X 4"	2 FT	Inground	36 X 48 Acrylic	Titan Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Economy	Residential, Elementary Schools, Churches, Daycares	
GP8A60	Square Post (Powdercoat)	5" X 5"	3 FT	Surface Mount	42 X 60 Acrylic	Titan Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	
GP8G60	Square Post (Powdercoat)	5" X 5"	3 FT	Surface Mount	42 X 60 Glass	Titan Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities	

SYSTEM MODEL #	POST TYPE	POST SIZE	SAFE PLAY AREA	GROUND INSTALLATION	BACKBOARD	RIM	COMPONENT MOUNTING		BOARD PAD	POLE PAD	BOARD HEIGHT ADJUSTABLE?	ADJUSTMENT METHOD	BOARD/RIM DIRECT MOUNT?	SYSTEM TYPE (BUDGET/ PLAY LEVEL)	IDEAL PLAY ENVIRONMENT
GPI0A72	Square Post (Powdercoat)	6" X 6"	4 FT	Surface Mount	42 X 72 Acrylic	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI0G72	Square Post (Powdercoat)	6" X 6"	4 FT	Surface Mount	42 X 72 Glass	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI0P72	Square Post (Powdercoat)	6" X 6"	4 FT	Surface Mount	42 X 72 Polycarbonate	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	No	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GARED PRO ADJUSTABLE OUTDOOR SERIES															
GP8A60DM	Square Post (Powdercoat)	5" x 5"	3 FT	Surface Mount	42 X 60 Acrylic	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GP8G60DM	Square Post (Powdercoat)	5" x 5"	3 FT	Surface Mount	42 X 60 Glass	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Standard Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI0A72DM	Square Post (Powdercoat)	6" x 6"	4 FT	Surface Mount	42 X 72 Acrylic	Scholastic Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI0G72DM	Square Post (Powdercoat)	6" x 6"	4 FT	Surface Mount	42 X 72 Glass	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI0P72DM	Square Post (Powdercoat)	6" x 6"	4 FT	Surface Mount	42 X 72 Polycarbonate	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI2A72DM	Square Post (Powdercoat)	6" x 8"	4 FT	Surface Mount	42 X 72 Acrylic	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI2G72DM	Square Post (Powdercoat)	6" x 8"	4 FT	Surface Mount	42 X 72 Glass	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
GPI2P72DM	Square Post (Powdercoat)	6" x 8"	4 FT	Surface Mount	42 X 72 Polycarbonate	Collegiate Single Rim, Breakaway	Front Mount		Optional	Optional	Yes	Crank Handle	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities
ENDURANCE® OUTDOOR SERIES															
GPI05S60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 60 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI05S72	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 72 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI06S60	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 60 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI06S72	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 72 Steel (T & B)	Endurance Double Rim, Fixed	Front Mount		N/A	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI04G60	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 60 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI04G72	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 72 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI05G60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 60 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI05G72	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 72 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI06G60	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 60 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI06G72	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 72 Glass	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI04A60	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 60 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI04A72	Square Post (Powdercoat)	6" x 6"	4 FT	Inground	42 X 72 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI05A60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 60 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI05A72	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	42 X 72 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI06A60	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 60 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GPI06A72	Square Post (Powdercoat)	6" x 6"	6 FT	Inground	42 X 72 Acrylic	Endurance Double Rim, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP205S60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	Two 42 X 60 Steel (T & B)	Two Endurance Double Rims, Fixed	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons
GP205G60	Square Post (Powdercoat)	6" x 6"	5 FT	Inground	Two 42 X 60 Glass	Two Endurance Double Rims, Breakaway	Front Mount		Optional	Optional	Yes	Loosen U-bolts	Yes	Heavy Duty	Residential, Schools, Parks, Playgrounds, Churches, Recreation Facilities, Military, Prisons

PLAYRX TOUCHLINE SOCCER GOAL PRODUCT GUIDE

GARED MODEL #	GOAL SIZE	FRAME SIZE / SHAPE	FRAME MATERIAL	BACKSTAY MATERIAL	GROUND MOUNTING	OPTIONS		AGE LEVEL	PLAY LEVEL	IDEAL PLAY ENVIRONMENT
SQUARE FRAME										
SGI0824	8' x 24'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI4824	8' x 24'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI2824S	8' x 24'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI0824S	8' x 24'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI4824S	8' x 24'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI2824	8' x 24'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SGI072I	7' x 21'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI472I	7' x 21'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI272I	7' x 21'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI072IS	7' x 21'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI472IS	7' x 21'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI272IS	7' x 21'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SGI06I8	6-1/2' x 18'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI46I8	6-1/2' x 18'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI26I8	6-1/2' x 18'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI06I2	6' x 12'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI46I2	6' x 12'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI26I2	6' x 12'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI06I2S	6' x 12'	4" Square	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI46I2S	6' x 12'	4" Square	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI26I2S	6' x 12'	4" Square	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SGI049	4' x 9'	4" Square	Aluminum	N/A	Portable	Wheel Kit, Anchors, Post Pads		Ages 6 - 8	Recreational/Youth/Practice/ Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SGI449	4' x 9'	4" Square	Aluminum	N/A	Semi-Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/ Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SGI249	4' x 9'	4" Square	Aluminum	N/A	Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/ Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
ROUND FRAME										
SG30824	8' x 24'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG34824	8' x 24'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG32824	8' x 24'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG30824S	8' x 24'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG34824S	8' x 24'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG32824S	8' x 24'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG3072I	7' x 21'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG3472I	7' x 21'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG3272I	7' x 21'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG3072IS	7' x 21'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG3472IS	7' x 21'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG3272IS	7' x 21'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG306I8	6-1/2' x 18'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps

PLAYRX TOUCHLINE SOCCER GOAL PRODUCT GUIDE

GARED MODEL #	GOAL SIZE	FRAME SIZE / SHAPE	FRAME MATERIAL	BACKSTAY MATERIAL	GROUND MOUNTING	OPTIONS		AGE LEVEL	PLAY LEVEL	IDEAL PLAY ENVIRONMENT
ROUND FRAME										
SG34618	6-1/2' x 18'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG32618	6-1/2' x 18'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG30612	6' x 12'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG34612	6' x 12'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG32612	6' x 12'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG30612S	6' x 12'	4" Round	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG34612S	6' x 12'	4" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG32612S	6' x 12'	4" Round	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG3049	4' x 9'	4" Round	Aluminum	N/A	Portable	Wheel Kit, Anchors, Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG3449	4' x 9'	4" Round	Aluminum	N/A	Semi-Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG3249	4' x 9'	4" Round	Aluminum	N/A	Permanent	Post Pads		Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
RECTANGULAR FRAME										
SG20824	8' x 24'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG24824	8' x 24'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG22824	8' x 24'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 13 - Adult	Competition/Adult	Professional Venues, Colleges, High Schools, Soccer Parks, Adult Leagues, Tournaments
SG20721	7' x 21'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG24721	7' x 21'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG22721	7' x 21'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 11 - 12	Recreational/Youth/Practice	Middle Schools, Junior High Schools, Youth Leagues, Practice Facilities, Soccer Parks, Camps
SG20618	6-1/2' x 18'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG24618	6-1/2' x 18'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG22618	6-1/2' x 18'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 9 - 11	Recreational/Youth/Practice	Elementary Schools, Middle Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG20612	6' x 12'	4" x 2" Rectangular	Aluminum	Steel	Portable	Wheel Kit, Anchors, Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG24612	6' x 12'	4" x 2" Rectangular	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG22612	6' x 12'	4" x 2" Rectangular	Aluminum	Steel	Permanent	Post Pads		Ages 7 - 9	Recreational/Youth/Practice	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps
SG2049	4' x 9'	4" x 2" Rectangular	Aluminum	N/A	Portable	Wheel Kit, Anchors, Post Pads	Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings	
SG2449	4' x 9'	4" x 2" Rectangular	Aluminum	N/A	Semi-Permanent	Post Pads	Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings	
SG2249	4' x 9'	4" x 2" Rectangular	Aluminum	N/A	Permanent	Post Pads	Ages 6 - 8	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings	
3" SMALL SIDED ROUND FRAME										
SG5048	4' X 8'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG5448	4' X 8'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG5248	4' X 8'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG50412	4' X 12'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG54412	4' X 12'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG52412	4' X 12'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG50416	4' X 16'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG54416	4' X 16'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG52416	4' X 16'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG70616	6' X 16'	3" Round	Aluminum	Steel	Portable	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG74616	6' X 16'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG72616	6' X 16'	3" Round	Aluminum	Steel	Permanent	Post Pads		Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings
SG90716	7' X 16'	3" Round	Aluminum	Steel	Portable	Post Pads	Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings	
SG94716	7' X 16'	3" Round	Aluminum	Steel	Semi-Permanent	Post Pads	Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings	
SG92716	7' X 16'	3" Round	Aluminum	Steel	Permanent	Post Pads	Ages 6 - Adult	Recreational/Youth/Practice/Residential	Elementary Schools, Youth Leagues, Practice Facilities, Parks, Camps, Residential Settings	



Whether in a school gymnasium, city park, or recreation center, sports equipment that is in good working condition benefits players, fans, and communities alike. It has a nicer appearance and encourages better play - keeping everyone coming back for more! Don't risk the safety and enjoyment of your players and fans by providing them with poorly-operating equipment. Fill out this quick checklist to rate the condition of your indoor and outdoor sporting goods equipment. Then easily calculate your PlayRx™ score, and see if your facility is in need of new equipment. Need help? Call Gared at 800.325.2682 to let us help you find the perfect replacement products to fit your budget and application. **GARED HAS YOUR PRESCRIPTION FOR FUN!**

INDOOR SPORTS EQUIPMENT CONDITION CHECK LIST

EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
EQUIPMENT TYPE: BASKETBALL				
BASKETBALL: BACKBOARDS - GLASS				
Clarity of Glass	4	3	2	1
Condition of Frame	4	3	2	1
Condition of Front Plate	4	3	2	1
Condition of Glass	4	3	2	1
Condition of Mounting Brackets	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			
BASKETBALL: BACKBOARDS - INDOOR NON-GLASS				
Clarity of Backboard	4	3	2	1
Condition of Border & Target	4	3	2	1
Condition of Mounting Brackets	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Deformation of Backboard (I.E. Bowing, Breaking around rim plate)	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			
BASKETBALL: BACKBOARD PADDING				
Center-Mount Sagging	4	3	2	1
Color Vibrance	4	3	2	1
Condition of Pad Corner	4	3	2	1
Density	4	3	2	1
Pad Smoothness	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			

EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
BASKETBALL: GOALS - BREAKAWAY RIMS				
Condition of Net	4	3	2	1
Condition of Net Attachment	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Welds	4	3	2	1
Deflect & Return (I.E. 90 degree to 12 degree to 90 degree)	4	3	2	1
Reboundability (I.E. Distance the ball travels off rebound; further is worse)	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: _____			
	If Average under 3, replacement recommended			
BASKETBALL: GOALS - FIXED RIMS				
Condition of Net	4	3	2	1
Condition of Net Attachment	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Welds	4	3	2	1
Tabletop Level of Rim (I.E. 90 degree)	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: _____			
	If Average under 3, replacement recommended			

CALCULATION EXAMPLE FOR BACKBOARDS - PLAYGROUND/OUTDOOR

FACTOR VALUES ADDED/ # OF FACTORS = PLAY RX™ AVERAGE

4 + 3 + 2 + 2 + 2 (FACTOR VALUES ADDED)/ = 13
13/5 (NUMBER OF FACTORS) = 2.6
2.6 < 3 = REPLACEMENT RECOMMENDED

EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
EQUIPMENT TYPE: GYMNASIUM STRUCTURES				
GYMNASIUM STRUCTURES: CUSTOM GYM STRUCTURES				
Color Vibrance	4	3	2	1
Condition of Faciltiy Ceiling & Walls	4	3	2	1
Condition of Pads	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Gym Accessories (I.E. Cables, Hoists, Safstops, etc.)	4	3	2	1
Condition of Vinyl	4	3	2	1
Ease of Unit Positioning (I.E. Time spent raising & lowering of unit)	4	3	2	1
Ease of Structure Storage	4	3	2	1
Structure Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			
GYMNASIUM STRUCTURES: PORTABLE BACKSTOPS				
Color Vibrance	4	3	2	1
Condition of Basketball Floor (I.E. Bowing, Varnish Cracking)	4	3	2	1
Condition of LED Light System	4	3	2	1
Condition of Backstop Pads	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Unit Wheels	4	3	2	1
Ease of Unit Leveling	4	3	2	1
Ease of Unit Positioning (I.E. Time spent raising & lowering of unit)	4	3	2	1
Ease of Unit Storage	4	3	2	1
Unit Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			
GYMNASIUM STRUCTURES: WALL MOUNTS				
Condition of Faciltiy Ceiling & Walls	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Gym Accessories (I.E. Cables, Chains, Hoists, Safstops, etc.)	4	3	2	1
Ease of Unit Leveling	4	3	2	1
Ease of Unit Positioning (I.E. Time spent raising & lowering of unit)	4	3	2	1
Ease of Structure Storage	4	3	2	1
Structure Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			

EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
EQUIPMENT TYPE: VOLLEYBALL SYSTEMS				
Condition of Floor Accessories (I.E. Anchors, Covers, Sleeves)	4	3	2	1
Condition of Net (I.E. Top Tape, Taunt, Webbing)	4	3	2	1
Condition of Pads	4	3	2	1
Condition of Posts	4	3	2	1
Condition of Storage Equipment	4	3	2	1
Ease of Unit Positioning (I.E. Time spent raising & lowering of unit)	4	3	2	1
Post Deflection	4	3	2	1
Post Stability	4	3	2	1
Referee Stand Padding	4	3	2	1
Referee Stand Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			

GARED ORDER FORM

DATE:				
DEALER NAME:				
CONTACT NAME:				
PHONE:				
EMAIL CONTACT:				
FACILITY NAME:				
#	PART NO.	QTY.	UNIT \$	TOTAL \$
TOTAL:				



Fax Order Today!
(314) 421-6014





Whether in a school gymnasium, city park, or recreation center, sports equipment that is in good working condition benefits players, fans, and communities alike. It has a nicer appearance and encourages better play - keeping everyone coming back for more! Don't risk the safety and enjoyment of your players and fans by providing them with poorly-operating equipment. Fill out this quick checklist to rate the condition of your indoor and outdoor sporting goods equipment. Then easily calculate your PlayRx™ score, and see if your facility is in need of new equipment.

Need help? Call Gared at 800.325.2682 to let us help you find the perfect replacement products to fit your budget and application. **GARED HAS YOUR PRESCRIPTION FOR FUN!**

EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
EQUIPMENT TYPE: BASKETBALL				
BASKETBALL: BACKBOARDS - PLAYGROUND/OUTDOOR				
Clarity of Backboard	4	3	2	1
Condition of Border & Target	4	3	2	1
Condition of Mounting Brackets	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Deformation of Backboard (I.E. Bowing, Breaking around rim plate)	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: _____			
	If Average under 3, replacement recommended			
BASKETBALL: BACKBOARD & POLE PADDING				
Center-Mount Sagging	4	3	2	1
Color Vibrance	4	3	2	1
Condition of Pad Corner	4	3	2	1
Density	4	3	2	1
Pad Smoothness	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: _____			
	If Average under 3, replacement recommended			
BASKETBALL: OUTDOOR POSTS				
Condition of Concrete Footing	4	3	2	1
Condition of Mounting Brackets	4	3	2	1
Condition of Post (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Post Pads	4	3	2	1
Unit Height	4	3	2	1
Unit Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: _____			
	If Average under 3, replacement recommended			

EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
BASKETBALL: GOALS - BREAKAWAY PLAYGROUND RIMS				
Condition of Net	4	3	2	1
Condition of Net Attachment	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Welds	4	3	2	1
Deflect & Return (I.E. 90 degree to 12 degree to 90 degree)	4	3	2	1
Reboundability (I.E. Distance the ball travels off rebound; further is worse)	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			

BASKETBALL: GOALS - FIXED RIMS				
Condition of Net	4	3	2	1
Condition of Net Attachment	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Welds	4	3	2	1
Tabletop Level of Rim (I.E. 90 degree)	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			

CALCULATION EXAMPLE FOR BACKBOARDS - PLAYGROUND/OUTDOOR

FACTOR VALUES ADDED/ # OF FACTORS = PLAY RX™ AVERAGE

4 + 3 + 2 + 2 + 2 (FACTOR VALUES ADDED)/ = 13

13/5 (NUMBER OF FACTORS) = 2.6


2.6 < 3 = REPLACEMENT RECOMMENDED

EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
EQUIPMENT TYPE: FIELD SPORTS				
FIELD SPORTS: FOOTBALL				
Condition of Concrete Footing	4	3	2	1
Condition of Post Pad	4	3	2	1
Condition of Post Sleeve	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Condition of Wind Flags	4	3	2	1
Post Deflection	4	3	2	1
Unit Leveling & Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			
FIELD SPORTS: LACROSSE				
Condition of Net	4	3	2	1
Condition of Net Attachment	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Unit Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			
FIELD SPORTS: SOCCER				
Condition of Field Accessories (I.E. Tie back, Wheel Kits)	4	3	2	1
Condition of Ground Sleeves	4	3	2	1
Condition of Net	4	3	2	1
Condition of Net Attachment	4	3	2	1
Condition of Post Pads	4	3	2	1
Condition of Powder-Coat Finish (I.E. Chips, Presence of Rust, Scratches)	4	3	2	1
Unit Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			


EQUIPMENT TYPE:	NEW	GOOD	FAIR	POOR
EQUIPMENT TYPE: SITE AMENITIES				
SITE AMENITIES: BLEACHERS & BENCHES				
Condition of Aluminum Surface	4	3	2	1
Condition of Brackets	4	3	2	1
Condition of End Caps	4	3	2	1
Condition of Foot/Seat Planks	4	3	2	1
Condition of Concrete Footing	4	3	2	1
Condition of Aluminum Surface	4	3	2	1
Ease of Unit Positioning (I.E. Time spent moving & storage unit)	4	3	2	1
Bleacher or Bench Stability	4	3	2	1
Equipment Recommendation:	Calculated PLAY RX™ Average: If Average under 3, replacement recommended			

GARED ORDER FORM

DATE:				
DEALER NAME:				
CONTACT NAME:				
PHONE:				
EMAIL CONTACT:				
FACILITY NAME:				
#	PART NO.	QTY.	UNIT \$	TOTAL \$
TOTAL:				



Fax Order Today!
(314) 421-6014



EASY REMEDIES FOR SPORTS EQUIPMENT!

BASKETBALL

SYMPTOM: RUSTED BACKBOARD

Diagnosis: Gared aluminum boards are virtually rust-proof & have a Lifetime Warranty!

SYMPTOM: BOARD BROKEN AT RIM LOCATION

Diagnosis: Too much dunking on fixed rim. Try upgrading to a Gared breakaway rim.

SYMPTOM: RUSTED GOOSENECK POST

Diagnosis: Our galvanized gooseneck/straight posts have newly extended warranties.

SYMPTOM: POST “BOWING” INWARD

Diagnosis: Board is too heavy for post. Contact Gared to find a suitable board for post size.

SYMPTOM: BACKBOARD LEANING FORWARD

Diagnosis: Try adding braces to stabilize the backboard during heavy play.

SYMPTOM: BROKEN STATIONARY RIM

Diagnosis: Upgrade to a breakaway rim – try Gared’s 8800 Endurance™ Breakaway Goal!

SYMPTOM: BENT RIM

Diagnosis: Upgrade from a single rim to a double rim goal that withstands heavy use.

SYMPTOM: ROTTED/WORN NET

Diagnosis: Gared nylon nets are durable & inexpensive. Or, upgrade to a web or chain net.

SYMPTOM: INDIRECT MOUNTING (POST-TO-BOARD-TO-GOAL)

Diagnosis: Gared posts & boards are direct-mounted to reduce stress on board.

SYMPTOM: NOT SUITABLE FOR ALL-AGE PLAY

Diagnosis: Try our Gared Elite Pro Adjustable System – easy for all ages to adjust height.

SYMPTOM: NO SAFETY PADDING

Diagnosis: Gared offers a full line of post and backboard padding to prevent player injury.

FOOTBALL

SYMPTOM: GOALPOSTS ARE NOT EQUIPPED WITH PADDING

Diagnosis: Gared’s 4” thick safety padding is UV-resistant and comes in a variety of colors.

SYMPTOM: GOALPOSTS CANNOT BE MOVED FOR OTHER SPORTS

Diagnosis: Gared football goalposts can be sleeve or plate-mount for easy removal when not in use.

SYMPTOM: GOALPOSTS ARE NOT STURDY AND TEND TO SWAY

Diagnosis: Choose 4-1/2” or 5-9/16” steel goalpost with 2-3/8” steel uprights for unmatched strength and durability.

SYMPTOM: CURRENT POSTS ARE GALVANIZED AND UNSIGHTLY

Diagnosis: We offer yellow or white powder.

EASY REMEDIES FOR SPORTS EQUIPMENT!

SOCCER

SYMPTOM: SOCCER GOALS ARE RUSTED

Diagnosis: Gared goal frames are made of high-quality powder coated aluminum for longer rust resistance.

SYMPTOM: WORN OR ROTTED SOCCER NETS

Diagnosis: Gared nets are constructed of high-tenacity polypropylene for increased durability.

SYMPTOM: SOCCER GOALS EASILY TIP OVER

Diagnosis: All soccer goals should be anchored for safety! Gared anchors are inexpensive and easy to install.

SYMPTOM: GOALPOSTS ARE NOT PROTECTED

Diagnosis: Weather-resistant safety padding is available to protect players from contact with goalposts.

SYMPTOM: GOALS ARE TOO BIG FOR YOUNG PLAYERS

Diagnosis: Gared carries many sizes of soccer goals from youth to NCAA & FIFA-approved goals.

SYMPTOM: SOCCER EQUIPMENT BUDGET IS LIMITED

Diagnosis: Gared carries a full line of equipment from economy to premium - for any budget or application.

LACROSSE

SYMPTOM: CURRENT GOALS ARE RUSTING

Diagnosis: Gared lacrosse goals have a superior powder coating that resists rusts and protects goals.

SYMPTOM: GOALS CANNOT BE TRANSPORTED

Diagnosis: All Gared goals are completely portable for easy transport on and off the field

SYMPTOM: NET ATTACHMENT IS TIME CONSUMING

Diagnosis: Try Gared’s LG200 premium goal. It’s easy net attachment sets up in no time!

SYMPTOM: GOALS ARE NOT STABLE

Diagnosis: Gared’s LG100 goal is made of 3” O.D. heavy steel with 4” wide ground bar for increased stability.





FIBA
EQUIPMENT
& VENUE



FACEBOOK: WWW.FACEBOOK.COM/GARED1922



TWITTER: [@GAREDSPORTS](https://twitter.com/GAREDSPORTS)



BLOG: [HTTP://PLAYRXBYGARED.BLOGSPOT.COM/](http://PLAYRXBYGARED.BLOGSPOT.COM/)

CONTACT GARED:

SALES HEADQUARTERS, CALL CENTER & MARKETING:
707 NORTH 2ND, SUITE 220, ST. LOUIS, MISSOURI 63102 USA

SALES, ENGINEERING & SHIPPING:
9200 EAST 146TH, NOBLESVILLE, INDIANA 46060 USA

TELEPHONE: (314) 421-0044 FAX: (314) 421-6014
EMAIL: PLAYRX@GAREDSPORTS.COM
WEBSITE: WWW.GAREDSPORTS.COM

GARED SELLS THROUGH AN APPROVED DEALER NETWORK.

